

# Information Gathering of Earthquake Disasters by Mobile Crowd Sourcing in Smart Cities

Hamed Vahdat-Nejad  
*Pervasive and Cloud Computing  
Lab, Faculty of Electrical and  
Computer Engineering  
University of Birjand  
Birjand, Iran  
[Vahdatnejad@birjand.ac.ir](mailto:Vahdatnejad@birjand.ac.ir)*

Hamid Bahadori  
*Department of Computer  
Engineering  
University of Birjand  
Birjand, Iran  
[Hamid\\_Bahadori@birjand.ac.ir](mailto:Hamid_Bahadori@birjand.ac.ir)*

Ali Abiri  
*Department of Computer  
Engineering  
University of Birjand  
Birjand, Iran  
[AbiriAli@birjand.ac.ir](mailto:AbiriAli@birjand.ac.ir)*

**Abstract**—Natural disasters such as earthquakes have always threatened the lives of humans and other creatures, and have victimized many lives. After each earthquake, the environmental conditions change and various information is required to carry out the rescue operation. A Major part of this information cannot be obtained from the knowledge that had already existed about the disaster area. However, the disaster management organizations as well as rescue teams need comprehensive information in the shortest possible time to be able to operate. Given the progress of Internet of Things and ubiquity of smartphones, it is possible to obtain this comprehensive information in the shortest time through crowd sourcing. In this article, with the help of Red Crescent Society, the requirement analysis of the earthquake information gathering system has been performed. These requirements are generally classified into 4 groups of victims, facilities and livelihood, security and health, and maps. Afterwards, a layered architecture is designed for the earthquake information gathering system, which includes 4 layers of sensing, fog, cloud and application. The evaluation results through the scenario-based approach validate that the proposed architecture satisfies the identified requirements.

**Keywords**—*Disaster Management, Data acquisition, Mobile Crowd Sourcing, Requirement analysis, Architecture, Smart city*

## 1. Introduction

Every year, we witness natural disasters such as earthquakes, floods, storms, volcanoes, and tsunamis

around the world. These disasters, depending on their severity, can cause irreparable damages and harms and the loss of lives. After the disaster, disaster management organizations or volunteer teams have common objectives: aiding the injured, minimizing the damages, and effective management of resources [1].

Disaster management includes four phases of prevention, preparedness, response and recovery [2,3]. In the management of a disaster, especially in the response phase, the rescue and relief teams need proper planning and decision-making to perform the necessary actions. To carry out a good planning and subsequently to make the right decisions, accurate information is needed in the shortest time after the disaster. The collection of accurate information from the environment is a challenge, because a significant part of the information gathering platform is destroyed by the disaster.

Today, mobile phones have become a smart applicable device with sensing, processing, and communication capabilities. These features have provided the opportunity for users to be able to sense and generate information. Given the ubiquity of smartphones among the people, the crowd sensing (sourcing) paradigm [4] has been proposed for participation of people in gathering different types of information [5]. In crowd sensing, the required information is extracted from the environment by participation of people [4]. Users can send sensed information to the cloud server [6], where the information provided by many users is aggregated and disseminated to the organizations requiring it [7]. In this regards, many types of information can be

gathered from the disaster area using crowd sourcing paradigm as well as available technologies in smartphones [8].

In the context of earthquakes, the conduction of the rescue operation requires diverse information, most of which cannot be obtained from the knowledge we previously had from the disaster area. For example, due to debris falling, many changes happen in urban routes such as streets and alleys. Other required information, such as location of the injured people, must be precisely acquired after the disaster [9]. This diverse information can be obtained in the shortest time with the lowest cost using crowd sourcing. Some studies have previously used limited crowd sourcing to manage disasters. For example, user comments in Twitter and Facebook have been exploited to extract information [10]. Furthermore, the emergency call and sending image system that enables users to request for help or send informative images of the disaster area is proposed [11]. According to our best knowledge, the full potential of crowd sourcing has not been exploited yet in designing a comprehensive information gathering system of the earthquake area. In this regard, this paper proposes the architecture of an information gathering system of the earthquake area using crowd sourcing. To this end, at first requirement analysis is conducted by the help of Red Crescent Society experts. It proposes four main categories of necessary information that should be gathered including information regarding victims, facilities and livelihood, security and health, and maps. Afterwards, the proposed system is designed using the multi-layer pattern. The proposed architecture has four layers of sensing, fog, cloud and application. Finally, the proposed architecture is evaluated using the scenario-based approach. Evaluation results validates that the proposed architecture satisfies the intended information gathering functionality.

After this introduction, section 2 describes the requirement analysis of the information gathering system. Section 3 presents the proposed architecture in detail and section 4 deals with its evaluation. Finally, section 5 concludes the paper.

## 2. Requirements

In the world, Red Cross and Red Crescent societies are known as a rescue and relief force who are responsible for responding to disasters such as earthquakes. Iran is an earthquake-prone country and has experienced many severe earthquakes in the past,

such as 2017 Kermanshah earthquake with 7.3 magnitude.

Several experts of the Iran's Red Crescent Society have been interviewed to investigate the information required by the rescue forces in the earthquake region. The interviews resulted in the requirement analysis of the earthquake information gathering system. In general, the information required from an earthquake area can be classified into four groups, as follows:

### ➤ **Victims:**

This category includes the information about the bodies and wounded and missing people, as well as domestic and wild animals in need of assistance. Unfortunately, after each earthquake, many people living in the disaster area might be killed, wounded or missed. In the system, these people are considered in the categories of body, wounded and missing, respectively. Naturally, humans are not the only beings who live in the disaster area, the nature of the area is home to a variety of animal species, including domestic and wild animals. With the incidence of an earthquake in the area, special search and rescue teams must be specified to these animals. The presence of animal carcasses in the area causes the outbreak of some diseases that may threaten the health of all residents.

### ➤ **Facilities and livelihood:**

This category includes the servicing status of preliminary facilities such as water, electricity and gas, as well as first aids required such as tents and blankets. After the occurrence of a severe earthquake, the houses where people had inhabited may be destroyed or no longer usable. In this case, the supply of shelter for the disaster survivors is a top priority. Supply of tents and blankets is the first action that should be done. These people also need preliminary facilities such as water, electricity and gas, the supply of which is very important.

### ➤ **Security and health:**

This category includes the medicines needed for patients, the risks of gas leakage and fire and protection of properties. The people in the disaster area may require certain medicines. For example, a person who suffers from a headache or gastrointestinal illness might need medication to treat or relieve his/her pain. Supplying this medicinal need is also a part of the rescue teams' responsibility. Also, with the change of physical conditions of the disaster area, new risks such

as gas leakage and fires threaten the area and people. Therefore, it is necessary to identify the places prone to these dangers and act quickly to eliminate the risks. In such abnormal conditions, there is also the threat of thieves. Therefore, security teams must have an active presence in the insecure areas to protect the properties.

➤ **Map:**

The physical conditions of the area may change physically in the event of a disaster. For example, after an earthquake, there is a possibility of the destruction of bridges and passageways, as well as appearance of cracks in the ground. Therefore, previous maps are not valid anymore. In this case, the provision of a new map from the area is of great importance. In such conditions, the roadmaps are vital for start and continuation of rescue and relief operations.

### 3. Proposed Architecture

Architecture is a structure that describes the elements of the system as well as the way of their interaction. The well-known layered pattern is a type of module-based patterns in which, each layer contains one or more modules that provide specific services. The proposed architecture for the information gathering system from the disaster area is layered and consists of 4 layers including sensing, fog, cloud and application layers (Figure 1). In the following, these layers are described in detail.

❖ **Sensing layer:** All information that should be collected based on the requirement analysis are acquired by this layer. It should be noted that some of this information is obtained directly through sensors and the other is manually entered by the user. In general, we have three hardware/software components in this layer that include:

- **GPS:** This sensor is used to specify the precise coordinates of the intended location; Determination of the exact location of images and other information elements is very important in crowd sourcing. Therefore, the GPS coordinate tag is inserted to each information element acquired. With the help of this geotagged information, different information maps can be plotted by crowd sourcing.
- **Camera:** Images usually contain much information and can be used to identify the incidents and events and to extract diverse

information types. Today, image processing and machine vision have made much improvement and computers are capable of performing highly sophisticated and intelligent processing on images. Besides, the images can be reviewed by humans, and information can be extracted by them. In this regard, the cameras of mobile phone are considered as an important sensor in collecting information from the environment.

- **IGUI (Information Gathering User Interface):** Human is the key player in crowd sourcing and can provide high-level information that cannot be easily measured by sensors. In this regard, user interfaces are the main part of the sensing layer for collecting high-level information. Multiple user interfaces have been designed to collect the required information, in which by asking a set of predetermined multiple-choice questions, the required information that cannot be directly measured by sensors is collected. In this regard, specific questions are considered for each of the proposed requirements, and the answer of people is recorded and sent to the higher layer for local analysis. Multiple-choice questions asked from users include the options of “normal situation”, “attention-required situation”, and “critical situation”. In addition, a comment section is considered at the end of each question for further user comments. In the crowd sourcing system, these comments can be manually or automatically processed. In the manual method, the volunteer people to participate in the crowd sourcing system review the comments and extract high-level and important information from them. On the other hand, all of these comments are a rich source for data mining and knowledge extraction, which are done by another module.

❖ **Fog layer:** The hardware near the sensing location (e.g. mobile phones or local gateways) forms the fog layer. The information collected by sensors and IGUI is provided to this layer. The layer includes 2 modules:

- **Local Analysis (LA):** The local analysis module is responsible for pre-processing of gathered data as well as noise removal. In this module, the information and comments entered by the user are locally analyzed, and

then, its keywords are extracted. Afterward, the text subject is identified. For easy reasoning of user input comments, they can be asked to annotate the comments by hashtags (#) according to the type of the information requirement analysis. Performing these local processes by users' smartphones will allow a large volume of computations to be performed distributed; therefore, the overall load of the above layer is reduced highly.

- **Sampling Frequency Management (SFM):** The information obtained by sensors and IGUI is not static and change over time and location. Therefore, this information needs to be kept up to date. The SFM module specifies the time period that this information should be re-acquired. This time period depends on the type of information, and the sampling frequency is adjusted based on it.
- ❖ **Cloud layer:** The information locally analyzed in the fog layer are sent to the cloud for aggregation. This layer contains the following three modules:
  - **Storage:** The cloud, as a massive storage, stores the information processed in the fog layer. The archive of this information over time is a rich source for performing high-

level processes such as data mining to extract knowledge.

- **Aggregation:** The information gathered by sensors and IGUI needs to be integrated and become consistent. The most important task of the cloud layer is to perform the aggregation operation. The output of this step can be prepared in the form of an information map.
- **Reputation Management (RM):** Since in each crowd sourcing system a number of individuals and entities might play negative roles, and corrupt the information generated by the system, there should be a module to validate the individuals and entities. With the help of reputation management module, malicious individuals can be detected and data generated by them can be deleted.

- ❖ **Application layer :** This layer contains applications and disaster response services. The information dissemination mechanism has also been anticipated in it for system-independent applications. In this regard, the Context Aware Information Dissemination component provides the relevant organizations with the information and maps generated by the bottom layer.




Figure (1): Proposed Architecture for Information gathering System of earthquake

#### 4. Evaluation

Scenario-based method is the most important approach of evaluating software architectures [12]. In

this method, one or more scenarios that accurately reflect the requirements of the system are provided. Then, it is checked whether the designed system is able

to accurately satisfy the scenario or not. In this regard, the following scenario is considered.

A late autumn night, when most people are asleep, a sudden and bitter news is broadcasted: The Iranian Seismological Center has recorded a 7.3 magnitude earthquake in western Iran! After receiving this news, various rescue teams are dispatched to the site in the shortest possible time. Unfortunately, the lack of information makes the relief process difficult.

The face of the city is quite different from what it used to be. Parts of the city are in complete blackout and other facilities such as water and gas are cut off. Some people are confused and some others are looking for their loved ones in the rubble. In the meantime, a text message containing the installation link of the information gathering application is sent to all mobile phones available in the disaster area, asking people to help with information gathering by installing the application.

The information gathering can be carried out in this application in two ways:

- ♦ Answering multiple-choice questions or writing an observation.
- ♦ Taking photos from the subject and tagging the exact location using the GPS sensor.

In this regard, each person by answering the questions determines whether he/she is seeing an injured or incarcerated person or a corpse nearby. If the answer is yes, he/she takes a picture from the subject and sends it. By answering another question, volunteers alert the disaster management center of the availability of services such as water and electricity in different parts of the city. By taking pictures from the structures and roads and sending them, participants greatly help in awareness about open and closed roads and bridges, as well as the status of important buildings such as medical and service centers.

The task of gathering information does not end with the start of the rescue operation, and the information needs to be updated. The parameters of the disaster area are constantly changing. For example, with the attendance and operation of rescue teams, the fires in buildings are contained and the facilities such as water and electricity are re-provided.

After preprocessing on the smartphone, all of this data is transferred to the server for storage and aggregation, and various information maps are prepared, accordingly. With this dynamic and accurate output, the disaster management center will be able to make the best decisions in the shortest possible time




Figure (2): Sequence diagram of the information gathering scenario

## 5. Conclusion

In this paper, requirement analysis of the disaster information gathering system has been investigated

and the requirements has been classified in four categories including victims, facilities and livelihood, security and health, and map. Afterwards, the architecture of the system has been designed using the

multi-layer pattern. It includes four layer of sensing, fog, cloud and application. Finally, the proposed architecture has been validated using the scenario-based approach. The UML sequence diagram has verified that the architecture can satisfy and execute the scenario. In summary, the proposed crowd sourcing system, by using the proposed sensing layer, which includes multiple-choice questions as well as camera and GPS sensors, can provide the rescue organizations with comprehensive and vital information from the earthquake area. Therefore, the rescue operation could be performed with a better efficiency as well as optimal allocation of resources.

## References

- [1] H. Maryam, M. Ali, Q. Javaid, and M. Kamran, "A Survey on Smartphones Systems for Emergency Management," *International Journal of Advanced Computer Science and Applications*, vol. 7, pp. 301–311, 2016.
- [2] E. Bruce, N. Hazards, B. Haworth, and M. Building, "A review of Volunteered Geographic Information for Disaster Management," *Geography Compass*, vol. 5, pp. 1–30, 2006.
- [3] N. Suri *et al.*, "Exploiting smart city IoT for disaster recovery operations," *Proc of IEEE 4th World Forum on Internet of Things*, pp. 463–68, 2018.
- [4] H. Vahdat-Nejad, E. Asani, Z. Mahmoodian, and M. H. Mohseni, "Context-aware computing for mobile crowd sensing: A survey," *Futur. Gener. Comput. Syst.*, vol. 99, pp. 321–332, 2019.
- [5] T. Ludwig, T. Siebigtheroth, and V. Pipek, "Crowdmonitor: Monitoring physical and digital activities of citizens during emergencies," *Proc of International Conference on Social Informatics*, pp. 421–428, 2015.
- [6] H. Vahdat-Nejad and M. Asef, "Architecture design of the air pollution mapping system by mobile crowd sensing," *IET Wireless Sensor Systems*, vol. 8, pp. 268–275, 2018.
- [7] Z. Xu *et al.*, "Mobile crowd sensing of human-like intelligence using social sensors: A survey," *Neurocomputing*, vol. 279, pp. 3–10, 2018.
- [8] J. Radianti, J. J. Gonzalez, and O. C. Granmo, "Publish-subscribe smartphone sensing platform for the acute phase of a disaster: A framework for emergency management support," *Proc of IEEE International Conference on Pervasive Computing and Communication Workshops*, pp. 285–290, 2014.
- [9] A. Sinha, P. Kumar, N. P. Rana, R. Islam, and Y. K. Dwivedi, "Impact of internet of things (IoT) in disaster management: a task-technology fit perspective," *Annals of Operations Research*, vol. 257, pp. 1–36, 2017.
- [10] J. P. de Albuquerque, B. Herfort, A. Brenning, and A. Zipf, "A geographic approach for combining social media and authoritative data towards identifying useful information for disaster management," *International Journal of Geographical Information Science*, vol. 29, pp. 667–689, 2015.
- [11] J. Radianti, J. J. Gonzalez, and O. C. Granmo, "Publish-subscribe smartphone sensing platform for the acute phase of a disaster: A framework for emergency management support," *Proc of IEEE International Conference on Pervasive Computing and Communication Workshops*, pp. 285–290, 2014.
- [12] A. PATIDAR and U. SUMAN, "Software Architecture Evaluation Methods A Survey," *Proc of 2nd International Conference on Computing for Sustainable Global Development*, pp. 19–26, 2015.